

ZEBRA

Z-Band[®] QuickClip[™] Wristbands

FEATURES

- Direct thermal polypropylene wristband with secure clip closures.
- Provides superior image durability and tensile strength.
- Meets healthcare patient ID and safety goals (The Joint Commission), removes risk of data left on ribbons (HIPPA), and prevents medication and blood transfusion errors (FDA)
- Latex-free, waterproof, and resistant to smear, abrasion, alcohol, mild cleaners and more
- · Color-coated clip options
- · Standard offering is white
- Are considered to be MR-Safe. Z-Band wristbands are made of polypropylene and vinyl. The direct thermal imaging chemistry is composed primarily of leuco dies and developers. The inks / varnishes used are UV varnishes and water-based inks. There is no metal content in or on these particular patient identification bands. Therefore, Z-Band wristbands are considered to be MR-Safe.

MATERIAL CONSTRUCTION

Component	Description	Caliper
Facestock	Direct thermal polypropylene	6.0 mil
	TOTAL ± 10%	6.0 mil

TEMPERATURE PERFORMANCE

Minimum Application Temperature	Service Temperature	Optimal Storage Conditions
NA	-40° F to 140° F (-40° C to 60° C)	72° F (22° C) at 50% RH

Expected Exterior Life

Not recommended for outdoor use

CHEMICAL RESISTANCE

	Chemical	Direct Thermal
	Blood	•
~	Body Fluid	•
Weak	Salt Water	•
>	Water	•
	Window Cleaner	•
a)	Alcohol	•
erat	Ammonia	•
Moderate	Bleach	•
_	IPA	•
_	Gasoline	NR
Harsh	Grease	NR
_	Oil	NR
	Acetone	NR
ne	IR Reflow	NR
Extreme	MEK	NR
	TCE	NR
	Xylene	NR

Recommended
 Test in Your Application NR Not Recommended

SUGGESTED APPLICATIONS

Hospital wristbands for positive patient ID



Ticketing



All products should be pre-tested to ensure it meets all intended requirements of specific end-use applications.

For more information, visit www.zebra.com/supplies



Z-Band® QuickClipTM Wristbands

Recommended Darkness and Print Speed Settings:

 Wristband Cartridge Printers -- Print speed and darkness setting are automatically set by the cartridge

ZPL Printers: Darkness: 22 Print Speed: 2ips
 EPL Printers: Darkness: 13 Print Speed: 2ips

Durability Testing:

The image durability of a 5 mil narrow-bar 16 digit Code 128 C bar code printed on a Z-Band Comfort wristband at Zebra's recommended darkness and print speed settings was measured by scanning with a MS1690 Focus Area Imaging Bar Code Scanner after exposure to solvents, abrasion and water. For each test performed, a "Pass" or "Fail" designation was noted. Following are definitions of the designations:

- Pass = Immediate scan of bar code without repeated attempts
- Fail = Failure of bar code to scan or required repeated attempts to scan

Abrasion Test: Pass: Exceeds 1000X with a dry crocking cloth.

Water: Pass: Withstands total immersion in 105° F/40° C water for up to 6 hours.

91% IPA: Pass: Withstands 50X rubs with soaked cotton applicator
70% IPA: Pass: Withstands 50X rubs with soaked cotton applicator
Betadine: Pass: Withstands 100X rubs with soaked cotton applicator
Purell®: Pass: Withstands 50X rubs with soaked cotton applicator

Tensile Strength: Pass: Withstands up to 45 pounds of force.

All products should be pre-tested to ensure it meets all intended requirements of specific end-use applications.

For more information, visit www.zebra.com/supplies