

Technical Accessory Guides (TAGs)

ZD421T



For Associates, Resellers, ISVs and Alliance Partners
Global



Version: All

Will show products that are known to be
available for sale and discontinued

Need to provide an
update or change?
Contact
tb3655@zebra.com



For Internal Use by
PartnerConnect Members Only

Proprietary and Confidential. ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©Zebra Technologies Corp. and/or its affiliates. All rights reserved.

This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.


Note: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Power Supply, Line Cords, Charging Cables and Power Accessories				
Part Number	Picture	Description	Notes	Required Items
P1079903-026 US/EU		Power Supply 75W, 24V, with US and EU AC Line Cord	► Dimensions: 9.05 in. L x 8.26 in. W x 6.49 in. H (23 cm L x 21 cm W x 16.5 cm H) ► Weight: 1.43 lbs. (0.65 kg) ► 75W, 24V ► Compatible Printers: ZD410, ZD420C, ZD420D, ZD420D-HC, ZD420T, ZD620D, ZD620T, GX420D, GX420T, GK888E, GK420E, GX430T, ZD410D, ZD420C, ZD420D, ZD420T, ZD500, ZD500R, ZD620D, ZD620T, ZD421T, ZD421C, ZD621D, ZD621T	
105934-053		Power Supply, 60W, 24V, with USA and EU AC Line Cord	► Dimensions: 8.27 in. L x 6.29 in. W x 4.41 in. H (21 cm L x 16 cm W x 11.2 cm H) ► Weight: 2.20 lbs. (1 kg) ► Compatible Printers: GK420D, GK420T, GT800, ZD410, ZD421D, ZD421T, ZD421C	
P1079903-030		Healthcare  Power Supply, 75W, 24V with US AC Line cord	► Dimensions: 9.055123 in. L x 8.267721 in. W x 6.496067 in. H 23 cm L x 21 cm W x 16.5 cm H ► Weight: 1.43 lbs. (0.65 kg) ► Compatible Printers: ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T-HC, ZD620D-HC, ZD620T-HC, ZD410D, ZD420C, ZD420D, ZD420T, ZD620D, ZD620T, GK420, HC100, ZD510-HC, ZD421D, ZD421T, ZD421C, ZD621D, ZD621T	
105950-014 US 105950-015 EU 105950-029 AU 105950-030 UK 105950-078 CH 105950-079 JP P1033401 BR P1061022-020 IL P1080829 IN P1079903-035 TW		AC Power Cable (Set of 5)	► Weight: 2.60 lbs. (1.18 kg) ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
P1086845-001 US P1086845-002 UK P1086845-004 TW P1086845-005 JP P1086845-006 CN		Healthcare  Power Supply Kit, 75W <u>without</u> AC Line Cord	► Dimensions: 11.81 in. L x 9.06 in. W x 2.36 in. H 30 cm L x 23 cm W x 6 cm H ► Weight: 2.07 lbs. / 0.94 kg ► Compatible Printers: ZD421T, GK4H, HC100, ZD510-HC	AC Power Cable 105950-014 US or other region specific cable

P1112640-248		Attached Power Supply, 60W	► Dimensions: 11.81 in. L x 9.05 in. W x 2.36 in. H (30 cm L x 23 cm W x 6 cm H) ► Weight: 2.07 lbs. / 0.941 kg ► Compatible Printers: ZD421T	AC Power Cable 105950-014 US or other region specific cable
USB and Serial Cables for Communication				
Part Number	Picture	Description	Notes	Required Items
105850-006		USB Interface Cable, 6FT (A to B)	► USB-A to USB-B Cable ► Length: 6ft / 1.82 m ► Weight: 0.16 lbs. / 0.0742 kg ► Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D- HC, ZD620T, ZD620T-HC, ZD410d-HC, ZD510-HC, ZD500R, ZD500, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
G105850-007		USB Interface Cable, 10FT (A to B)	► USB-A to USB-B Cable ► Length: 10ft / 3.05 m ► Weight: 0.40 lbs. / 0.182 kg ► Compatible Printers: ZD410, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D- HC, ZD620T, ZD620T-HC, ZD510-HC, ZD500R, ZD500, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
G105950-054		Kit Serial Interface Cable, 6FT (DB-9 to DB-9) Null Modem	► Serial DB-9 to Serial DB-9 ► Length: 6ft / 1.82 m ► Weight: 0.46 lbs. / 0.21 kg ► Compatible Printers: ZD410, ZD410d- HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T- HC, ZD500, ZD500R, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	

105850-026		Serial Port Adapter	▶ Serial Port Converter ▶ Weight: 0.26 lbs. / 0.12 kg ▶ Compatible Printers: ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500R, ZD500, ZD421D, ZD421T, ZD421C, ZD621T, ZD621D, ZD421D-HC, ZD421T-HC, ZD421C-HC, ZD621T-HC, ZD621D-HC	
------------	--	---------------------	--	--

Connectivity Module

Part Number	Picture	Description	Notes	Required Items
P1112640-017A US & Canada P1112640-017B Japan Only P1112640-017C Rest of World		Wireless Module Kit, WiFi 802.11ac, MFI 3.0, Bluetooth 4.1	▶ Wireless field upgradeable module ▶ You can get the wireless module pre-installed with your printer at purchase ▶ The door is already part of the printer, hence there is no door included with this module ▶ Dual Radio with 802.11ac and Bluetooth Classic 4.1. ▶ Apple MFI 3.0 certified ▶ Weight: 0.33 lbs. / 0.15 kg ▶ Important: This is <u>not backwards compatible</u> with the ZD420 or ZD620 series ▶ Compatible Printers: ZD421D, ZD621D, ZD421T	
P1112640-016		Serial Module	▶ Field Upgradeable Serial Module ▶ You cannot get the serial module pre-installed with your printer at purchase. ▶ Weight: 0.33 lbs. / 0.15 kg ▶ Important: This is <u>not backwards compatible</u> with the ZD420 ▶ Compatible Printers: ZD421D, ZD421T, ZD421C	
P1112640-015		Ethernet Module	▶ Field Upgradeable Ethernet Module ▶ You can get the ethernet module pre-installed with your printer at purchase ▶ Weight: 0.31 lbs. / 0.139 kg ▶ Important: This is <u>not backwards compatible</u> with the ZD420 ▶ Compatible Printers: ZD421D, ZD421T, ZD421C	

Media Handling (Cutters and Peeler (Dispenser))

Part Number	Picture	Description	Notes	Required Items
P1112640-230		Cutter	▶ Thermal Transfer Cutter for ZD421 standard and Healthcare printers. ▶ Kit includes: Torx T10 and extra screws for installation ▶ You can get the cutter pre-installed with the ZD621 printer at purchase, but not pre-installed with the ZD421 ▶ Important: This is <u>not backwards compatible</u> with the ZD420 ▶ Weight: 1.54 lbs. / 0.7 kg ▶ Compatible Printers: ZD421T ▶ Note: Printer not included	
P1112640-231		Peeler (Dispenser)	▶ Peeler for ZD421 Thermal Transfer standard and Healthcare printers. ▶ Kit includes: Peeler, Torx T10, and extra screws for installation ▶ You can get the peeler pre-installed with the ZD621 printer at purchase, but not pre-installed with the ZD421 ▶ Important: This is <u>not backwards compatible</u> with the ZD420 ▶ Weight: 0.74 lbs. / 0.334 kg ▶ Compatible Printers: ZD421T ▶ Note: Printer not included	

Routine Maintenance				
Part Number	Picture	Description	Notes	Required Items
47362		6 Presaturated Foam Tip Swabs) for Preventative Maintenance	► Presaturated Foam Tip Swabs ► Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ► 99.7% Isopropyl Alcohol (IPA) ► Qty 6 ► Compatible Printers: ZD410, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620T, ZD620T-HC, ZD510-HC, ZD500R, ZD500, ZD411, ZD421C, ZD421C-HC, ZD421T, ZD421T-HC, ZD621D, ZD621T, ZD621T-HC	
105950-035		Printhead Cleaning Pens (12)	► Cleaning Pens for cleaning Printheads ► Unopened, the pens have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ► 99.7% Isopropyl Alcohol (IPA) ► Qty 12 ► Compatible Printers: ZD410, ZD420D, ZD420D-HC, ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R, ZD411, ZD421C, ZD421C-HC, ZD421T, ZD421T-HC, ZD621D, ZD621T, ZD621T-HC	
P1112640-253		203dpi Routine Maintenance Kit	► Kit includes: 203dpi Printhead (P1112640-218), 203dpi Platen Roller (P1112640-216) & Preventative Maintenance Kit (47362) which has 6 Presaturated Foam Tip Swabs ► Unopened, the swabs have a 12-month Shelf Life and must be stored at room temperature (20C-25C) ► Swabs are 99.7% Isopropyl Alcohol ► Compatible Printers: ZD421T	
Media Core				
Part Number	Picture	Description	Notes	Required Items
P1112640-054		Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores, (set of 2 each)	► Thermal Transfer and Direct Thermal Media Core Adaptors for 1.5", 2" & 3" Diameter Media Cores (set of 2 each) ► Kit includes: a left and right media adapter for each size, a Torx T10 and 6 screws for installation ► Weight: 0.66 lbs. / 0.3 kg ► Compatible Printers: ZD421D, ZD421T	

Printheads				
Part Number	Picture	Description	Notes	Required Items
P1112640-218		Thermal Transfer Printhead, 203dpi	► This printhead is included in Routine Maintenance Kit P1112640-253. It is highly recommended that you replace the platen roller and printhead at the same time. Consider purchasing the Routine Maintenance kit instead. ► 203dpi Thermal Transfer Printhead for Standard and Healthcare ZD421 Printers ► Weight: 0.28 lbs. / 0.13 kg ► Compatible Printers: ZD421T, ZD421T-HC	
P1112640-219		Thermal Transfer Printhead, 300dpi	► 300dpi Thermal Transfer Printhead for Standard and Healthcare ZD421 Printers ► Weight: 0.50 lbs. / 0.227 kg ► Compatible Printers: ZD421T, ZD421T-HC	
Platen Rollers and Platen Roller Bearings				
Part Number	Picture	Description	Notes	Required Items
P1112640-216		203dpi Platen Roller	► This platen roller is included in Routine Maintenance Kit P1112640-253. It is highly recommended that you replace the platen roller and printhead at the same time. Consider purchasing the Routine Maintenance kit instead. ► 203dpi Thermal Printer Platen Roller ► Kit includes: Platen Roller and a right and left bearing ► Weight: 0.32 lbs. / 0.143 kg ► Compatible Printers: ZD421T, ZD421T-HC	
P1112640-217		300dpi Platen Roller	► 300dpi Thermal Printer Platen Roller ► Kit includes: Platen Roller and a right and left bearing ► Weight: 0.32 lbs. / 0.143 kg ► Compatible Printers: ZD421T, ZD421T-HC	
P1080383-224		Platen Bearings (10 Pack)	► Platen Bearings (10 right and 10 left) ► Kit, Bearings for the Platen Roller (Left and Right 10 of each) ► Qty 10 x right bearing, 10 x left bearing ► Weight: 0.18 lbs. / 0.081 kg ► Compatible Printers: ZD220, ZD420D, ZD420T, ZD421D, ZD421T, ZD620D, ZD620T, ZD621D, ZD621T, ZD621R, ZD888	

Mounting Accessories				
Part Number	Picture	Description	Notes	Required Items
P1080383-037		Adapter Bracket	► Kit, Adapter bracket enables mounting a ZD420/421C, ZD420/421T or ZD620/621T in the same location as an existing GK/GX TT is currently mounted. Allows usage of the GK/GX TT hole pattern to mount a ZD420C, ZD420T, ZD620T ► Dimensions: 11.61 in. L x 9.05 in. W x 2.36 in. H (29.5 cm L x 23 cm W x 6 cm H) ► Weight: 1.32 lbs. / 0.6 kg ► Compatible Printers: ZD420C, ZD420C-HC, ZD420T, ZD420T-HC, ZD620T, ZD421T, ZD621T, ZD621R, ZD421C	
Keyboards				
Part Number	Picture	Description	Notes	Required Items
ZKDU-001-00		ZKDU ZPL/EPL Keyboard	► Dimensions: 9.05 in. L x 8.46 in. W x 4.52 in. H (23 cm L x 21.5 cm W x 11.5 cm H) ► Weight: 1.30 lbs. / 0.59 kg ► Compatible Printers: ZD410, ZD410-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD500, ZD500R, ZD421T, ZD421T-HC	Serial Port
Carrying Cases				
Part Number	Picture	Description	Notes	Required Items
SG-DM-CASE2-01		Thermal Transfer Desktop Printer Carrying Case	► Thermal Transfer Soft Carrying Case, ZD42X/ZD62X printer with battery attachment. Larger carrying case than the Direct Thermal to support ribbon rolls. ► Includes Shoulder Strap, TC5x Sized Holster Pocket ► Dimensions: 11.77 in. L x 8.62 in. W x 11.61 in. H 29.9 cm L x 21.9 cm W x 29.5 cm H ► Weight: 2.57 lbs. / 1.16 kg ► Compatible Printers: ZD421T, ZD420T, ZD620T, ZD621T, ZD420C, ZD421C, ZD621R, ZD421T-HC, ZD420T-HC, ZD620T-HC, ZD621T-HC, ZD421C-HC	

Batteries				
Part Number	Picture	Description	Notes	Required Items
P1080383-603		Battery	► Dimensions: 8.46 in. L x 4.13 in. W x 3.62 in. H 21.5 cm L x 10.5 cm W x 9.2 cm H ► Weight: 2.42 lbs. / 1.1 kg ► Compatible Printers: ZD410, ZD410d-HC, ZD420C, ZD420C-HC, ZD420D, ZD420D-HC, ZD420T, ZD420T-HC, ZD620D, ZD620D-HC, ZD620T, ZD620T-HC, ZD421C, ZD421T, ZD421T-HC, ZD621D, ZD621T, ZD621R	
P1080383-600		Base Housing for Battery	► Battery Bases ► Dimensions: 11.02 in. L x 7.48 in. W x 2.75 in. H 28 cm L x 19 cm W x 7 cm H ► Weight: 1.14 lbs. / 0.52 kg ► Compatible Printers: ZD420C, ZD420C-HC, ZD421T, ZD421T-HC, ZD420T, ZD420T-HC, ZD620T, ZD620T-HC, ZD421C, ZD421C-HC, ZD621R	

 **ZEBRA**
CONFIDENTIAL