

# Technical Accessory Guides (TAGs) ZQ510 / ZQ511 / ZQ520 / ZQ521



For Associates, Resellers, ISVs and Alliance Partners  
Global



Version: Active Only

Will only show products that are known  
to be available for sale

Need to provide an  
update or change?  
Contact  
[tb3655@zebra.com](mailto:tb3655@zebra.com)



For Internal Use by  
PartnerConnect Members Only

Proprietary and Confidential. ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide.  
All other trademarks are the property of their respective owners. ©Zebra Technologies Corp. and/or its affiliates. All rights reserved.

***This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.***


***Note: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection. Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.***

# Cradles

Part Number	Picture	Description	Notes	Required Items
<b>SAC-MPP-1BCHGUS1-01 US</b> <b>SAC-MPP-1BCHGEU1-01 EU</b> <b>SAC-MPP-1BCHGUK1-01 UK</b> <b>SAC-MPP-1BCHGAU1-01 AU</b> <b>SAC-MPP-1BCHGCN1-01 CN</b>		1-Slot Battery Charger Kit	<p>► Docks and charges a single PowerPrecision+ Li-Ion printer battery. Integrated power supply. Works with both standard and extended battery packs.</p> <p>► Kit Information: 1-Slot Battery Charger (P1090786**) and region-specific AC Power Cable*</p> <p>► Select the part number with the appropriate line cord for your region.</p> <p>► AC Power Cable Type: IEC320C7 (non-polarized)</p> <p>► Compatible Printers: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</p>	
<b>SAC-MPP-3BCHGUS1-01 US</b> <b>SAC-MPP-3BCHGEU1-01 EU</b> <b>SAC-MPP-3BCHGUK1-01 UK</b> <b>SAC-MPP-3BCHGAR1-01 AR</b> <b>SAC-MPP-3BCHGBR1-01 BR</b> <b>SAC-MPP-3BCHGAU1-01 AU</b> <b>SAC-MPP-3BCHGCN1-01 CN</b> <b>SAC-MPP-3BCHGIN1-01 IN</b>		3-Slot Battery Charger Kit	<p>► Dock and charge up to three PowerPrecision+ Li-Ion printer batteries at a time. Best (most charged) Battery Lights Up Blinking Green. Works with both standard and extended battery packs.</p> <p>► Kit Information: 3-Slot Battery Charger (P1090784**), DC Cable (CBL-DC-388A1-01), 12V Power Supply (PWR-BGA12V50W0WW), and region-specific AC Power Cable*</p> <p>► Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</p>	
<b>SAC-MPP-6BCHUS1-01 US</b> <b>SAC-MPP-6BCHEU1-01 EU</b> <b>SAC-MPP-6BCHUK1-01 UK</b> <b>SAC-MPP-6BCHAR1-01 AR</b> <b>SAC-MPP-6BCHBR1-01 BR</b> <b>SAC-MPP-6BCHAU1-01 AU</b> <b>SAC-MPP-6BCHCN1-01 CN</b> <b>SAC-MPP-6BCHIN1-01 IN</b>		Dual 3-Slot Battery Charger Kit Connected via Y Cable	<p>► Dock and charge up to six PowerPrecision+ Li-Ion printer batteries at a time.</p> <p>► Best battery (most charged) lights up blinking green. Works with both standard and extended battery packs.</p> <p>► Kit Information: : Dual 3-slot battery charger (P1090784**), power supply (PWR-BGA12V108W0WW), Y-Cable (P1093160**) and region-specific AC Power Cable*</p> <p>► Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</p>	

<b>P1063406-056 AR</b> <b>P1063406-054 AU</b> <b>P1063406-055 BR</b> <b>P1063406-057 CN</b> <b>P1063406-053 EU / CH</b> <b>P1081280-011 IN</b> <b>P1063406-058 JP</b> <b>P1063406-052 UK</b> <b>P1063406-027 US</b>		<b>4-Slot Power Station Kit</b>	<ul style="list-style-type: none"> <li>► Docks and charges up to four ZQ500 Series printers simultaneously.</li> <li>► Supports printers in the exoskeleton and with / without extended battery.</li> <li>► Kit Includes: 4-Slot Power Station (P1064202**), AC Adapter (P1076008-001**), and region-specific AC Power Cable*</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> <li>► NOTE: Printer sold separately</li> </ul>	
<b>P1031365-089 AR</b> <b>P1031365-066 AU</b> <b>P1031365-067 BR</b> <b>P1031365-068 CN</b> <b>P1031365-065 EU / CL</b> <b>P1031365-088 IL</b> <b>P1081280-003 IN</b> <b>P1031365-096 JP</b> <b>P1031365-095 TW</b> <b>P1031365-063 US</b> <b>P1031365-064 UK</b>		<b>Li-ion Smart Battery Charger Kit (SC2)</b>	<ul style="list-style-type: none"> <li>► Docks and charges a single battery.</li> <li>► Monitors and alerts on battery health.</li> <li>► Supports both standard and extended batteries.</li> <li>► Kit Includes: Charger (P1027407**) and region-specific AC Power Cable*</li> <li>► Compatible Printers: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
SKU's, price and lead time to be provided by CAG (Custom Applications Group). Contact CAG team for more information.		<b>Shared Cradle (Custom)</b>	<ul style="list-style-type: none"> <li>► 3-slot battery charger for ZQ600, QLn and ZQ500 Series batteries plus three slots to charge TC70 mobile computers (charging cups).</li> <li>► Can be bundled with TC70 Batteries or most other Zebra battery chargers</li> <li>► Compatible Printers: ZQ610, ZQ620, QLn220 / QLn220 HC, QLn320 / QLn320 HC, QLn420, ZQ510, ZQ511, ZQ520, ZQ521, ZQ630</li> </ul>	

#### Charging Cables


Part Number	Picture	Description	Notes	Required Items
<b>P1031365-083 AR</b> <b>P1031365-043 AU</b> <b>P1031365-039 BR</b> <b>P1031365-040 CN</b> <b>P1031365-042 EU</b> <b>P1031365-032 IL</b> <b>P1081280-008 IN</b> <b>P1031365-094 JP</b> <b>P1031365-093 TW</b> <b>P1031365-041 UK</b> <b>P1031365-024 US</b> <b>P1031365-142 CL</b>		<b>AC Adapter Kit</b>	<ul style="list-style-type: none"> <li>► Connect the printer (or charging cradle) to AC power to charge the printer's internal battery.</li> <li>► Kit Information: AC Adapter (P1076006), and region-specific AC Power Cable*</li> <li>► Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</li> <li>► NOTE: Printer sold separately.</li> </ul>	

<b>P1058390-1</b> (with US line cord)  <b>P1058390-2</b> (without line cord)		Replacement Power Supply for Li-ion Quad Battery Charger	<ul style="list-style-type: none"> <li>► Older charging cable</li> <li>► Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair / replacement power supply for already deployed Li-ion Quad Battery Charger.</li> <li>► Compatible Printers: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
<b>P1058390-2</b>		Spare Power Supply for Quad Battery Charger without AC Line Cord	<ul style="list-style-type: none"> <li>► Older charging cable</li> <li>► Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair / replacement power supply for already deployed Li-ion Quad Battery Charger.</li> <li>► NOTE: AC line cord <b>NOT</b> included</li> <li>► Compatible Printers: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ511, ZQ520, ZQ521, P4T</li> </ul>	
<b>CBL-DC-388A1-01</b>		Spare DC Connector Cable	<ul style="list-style-type: none"> <li>► DC Cable connecting the 3-slot battery charger (SAC-MPP-6BCHUS1-01) to the power supply (PWR-BGA12V50W0WW)</li> <li>► Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	

#### Forklift / Vehicle / Cart Charging Accessories




For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:




[https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra\\_Printer\\_Mounting\\_Options.pdf](https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf)

Part Number	Picture	Description	Notes	Required Items
<b>CHG-MPP-BEPSAC1-2</b>		Mobile Battery Eliminator, Dummy Battery Pack with AC Power Supply (Cart / Stationary)	<ul style="list-style-type: none"> <li>► Battery eliminator dummy battery pack allows printer to be stationary for mobile cart or developer use-cases without needing to purchase a battery</li> <li>► IEC60601 Certified</li> <li>► <b>Cable exits toward the FRONT</b> of the ZQ printer</li> <li>► AC Line Cord <b>NOT INCLUDED</b>, please order separately</li> <li>► RFID printers <b>NOT</b> supported</li> <li>► Compatible Printers: ZQ511, ZQ521, ZQ610, ZQ620, ZQ610-HC, ZQ620-HC</li> </ul>	AC Line Cords: 6ft line cords ► <b>47612</b> CN ► <b>46629</b> EU ► <b>46637</b> UK ► <b>46693</b> US

CHG-MPP-BEPSAC2-01		Mobile Battery Eliminator, Dummy Battery Pack with AC Power Supply (Cart / Stationary)  (Reversed Orientation)	<ul style="list-style-type: none"> <li>▶ Battery eliminator dummy battery pack allows printer to be stationary for mobile cart or developer use-cases without needing to purchase a battery</li> <li>▶ IEC60601 Certified</li> <li>▶ <b><u>Cable exits toward the BACK</u></b> of the ZQ printer</li> <li>▶ AC Line Cord <b><u>NOT INCLUDED</u></b>, please order separately</li> <li>▶ RFID printers <b><u>NOT</u></b> supported</li> <li>▶ Compatible Printers: ZQ511, ZQ521, ZQ610, ZQ620, ZQ610-HC, ZQ620-HC</li> </ul>	AC Line Cords: 6ft line cords ▶ <b>47612</b> CN ▶ <b>46629</b> EU ▶ <b>46637</b> UK ▶ <b>46693</b> US
P1063406-032		Mobile Battery Eliminator - Dummy Battery Pack (Forklift / Vehicle)	<ul style="list-style-type: none"> <li>▶ Mobile Battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product.</li> <li>▶ Must be ordered with open-ended or vehicle lighter adapter power supply.</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521, ZQ610, ZQ620, QLn220, QLn320</li> </ul>	Battery Eliminator power supply: <b>P1050667-142</b> (Open Ended) OR <b>P1063406-133</b> (Cigarette Lighter Adapter)
P1050667-142		Power Adapter for Mobile Battery Eliminator (open ended, 12-48V)	<ul style="list-style-type: none"> <li>▶ Power Adapter for Mobile Battery Eliminator 12-48V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle.</li> <li>▶ Designed for vehicles providing 12-48V power</li> <li>▶ Kit Information: 12-48V DC Adapter open ended (P1058934-01**)</li> <li>▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	<b>P1050667-041</b> Dummy Battery OR <b>P1063406-061</b> Battery Eliminator Vehicle Cradle



P1063406-133		Battery Eliminator Power Supply (lighter adapter 12-48V)	<p>► 12-48V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle.</p> <p>► Designed for vehicles providing 12-48V power</p> <p>► Kit Information: 12-48V DC Adapter to Cigarette Lighter (P1064241-01**)</p> <p>► Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</p>	<p><b>P1050667-041</b> Dummy Battery</p> <p>OR</p> <p><b>P1063406-061</b> Battery Eliminator Vehicle Cradle</p>
AK18913-003		15-60V DC Power Supply (Barrel jack/open ended)	<p>► Open ended wires for charging the printer on a forklift.</p> <p>► Kit Information: Vehicle 15-60V DC Adapter (AT18488-1**)</p> <p>► Designed for vehicles providing 15-60V power</p> <p>► Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, ZQ510, ZQ511, ZQ520, ZQ521, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, P4T</p>	
P1063406-030		12-24V DC Power Supply (open ended, 12-24V, for use with or without cradle)	<p>► 12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle.</p> <p>► Designed for vehicles providing 12-24V power</p> <p>► Kit Information: 12-24V Power Adapter open ended (P1064244**)</p> <p>► Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</p>	

P1063406-031		12-24V DC Power Supply (lighter adapter, 12-24V, for use with or without cradle)	<ul style="list-style-type: none"> <li>▶ 12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle.</li> <li>▶ Kit Information: : 12-24V DC Power Adapter Cigarette Lighter (P1064243)</li> <li>▶ Designed for vehicles providing 12-24V power</li> <li>▶ Compatible Printers: ZQ610, ZQ620, ZQ630, QLn220, QLn320, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-034		Vehicle Cradle Adapter (6")	<ul style="list-style-type: none"> <li>▶ Enables ZQ500 Series cradle to be attached to legacy RW vehicle cradle installations without rewiring the vehicle power supply.</li> <li>▶ Legacy RAM arms are compatible with ZQ500 Series printers via this adapter.</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
VAM-MPP-VHCH1-01		Dual Charging Vehicle Adapter Kit	<ul style="list-style-type: none"> <li>▶ Charges a ZQ500 Series mobile printer and a TC70 or TC75 mobile computer simultaneously via the vehicle lighter power adapter.</li> <li>▶ Kit includes Power Supply (P1093358**), Charging cable USB I/O Hub (SHARE-USBH-01), charging cable for the TC7X Charging Cable Cup,</li> <li>▶ Power Supply which has square locking connector and one USB-A port which can be used to charge an additional device, cigarette lighter adapter cord, and open ended cord</li> <li>▶ NOTE: This charging solution has not been officially validated with the TC5x.</li> <li>▶ Please submit a CPR at <a href="http://cpr.zebra.lan">http://cpr.zebra.lan</a> (Zebra internal site) if you would like to use this cable with the TC5x.</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521, ZQ630, QLn420</li> </ul>	

## Mounting Accessories

For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

[https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra\\_Printer\\_Mounting\\_Options.pdf](https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf)

Part Number	Picture	Description	Notes	Required Items
P1063406-061		Mobile Battery Eliminator Vehicle Cradle with USB lock	<ul style="list-style-type: none"> <li>▶ Battery eliminator cradle enables the printer to be powered directly from the vehicle, without a battery as a consumable.</li> <li>▶ Eliminates need to replace the battery over the life of the printer. Printer can easily be undocked at the end of a shift.</li> <li>▶ Could be used in a vehicle or on a table</li> <li>▶ <b>Must be ordered with</b> a battery eliminator power supply option.</li> <li>▶ Weight: 1.4 lbs / 0.65 kg</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	Battery Eliminator power supply: <b>P1050667-142</b> (Open Ended) OR <b>P1063406-133</b> (Cigarette Lighter Adapter)
P1063406-062		Vehicle Cradle	<ul style="list-style-type: none"> <li>▶ Dock and charge a single ZQ500 Series printer on a tabletop / countertop or mount in a vehicle / on a forklift.</li> <li>▶ Must be ordered with an open ended, vehicle lighter adapter or AC adapter.</li> <li>▶ Meets IP43-rating for additional protection from liquids and spills.</li> <li>▶ Compatible with ZQ500 Series printers with or without extended battery and with or without exoskeleton.</li> <li>▶ Can be mounted with RAM mounting arm. Requires specific driver for connecting via USB.</li> <li>▶ Weight: 1.01 lbs / 0.45 kg</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	<b>AK18913-003</b> (15-60V Open Ended) OR <b>P1063406-030</b> (12-24V open ended) OR <b>P1063406-031</b> (12-24V lighter adapter)
P1063406-026		D-Ring Adapter Kit	<ul style="list-style-type: none"> <li>▶ Attaches to the ZQ500 Series vehicle cradle to enable use with installed Datamax O'Neil e-charge brackets.</li> <li>▶ Plastic female half-moon part allows users to attach vehicle cradle to existing Datamax O'Neil brackets.</li> <li>▶ Weight: 0.6 lbs / 0.3 kg</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	

NOTE: Rows highlighted in grey may not be orderable  
 \*\* = Non purchasable part number







AK17463-002		Zebra RAM Mount Arm	<ul style="list-style-type: none"> <li>▶ Adjustable arm which can attach to the ZQ500 Series mounting plate or vehicle cradle to allow the user to change the orientation of the printer.</li> <li>▶ Weight: 1.15 lbs / 0.52 kg</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-042		Mounting Plate	<ul style="list-style-type: none"> <li>▶ Allows the printer to be fix-mounted in a vehicle with or without battery eliminator.</li> <li>▶ Attaches to RAM mount arm. Not required when using the Vehicle Cradle and RAM Mount Arm.</li> <li>▶ Weight: 0.34 lbs / 0.16 kg</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	






#### Third Party Mounting Accessories

For more information on forklift / vehicle mounting options and suggested mounting bundles see link below:

[https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra\\_Printer\\_Mounting\\_Options.pdf](https://zebra.sharepoint.com/:b:/r/sites/TAGs/Shared%20Documents/TAGDocs/Zebra_Printer_Mounting_Options.pdf)

Part Number	Picture	Description	Notes	Required Items
215921 (Third Party)		ProClip® Printer Mount Plate ONLY (ZQ520)	<ul style="list-style-type: none"> <li>▶ Kit includes mounting plate</li> <li>▶ Pre-drilled holes for AMPS hole patterns</li> <li>▶ This is compatible with all ProClip mounting accessories (including vehicle, cart, and forklift mounts)</li> <li>▶ Weight: 0.42 lb / 0.19 kg</li> <li>▶ Compatible Printers: ZQ520, ZQ521</li> <li>▶ Printer Not Included</li> </ul>	
<a href="http://www.proclipusa.com">www.proclipusa.com</a>				
241425 (Third Party)		ProClip® Printer Mount Kit with Quick Release Dock ZQ520	<ul style="list-style-type: none"> <li>▶ Kit includes quick release dock and plate</li> <li>▶ Pre-drilled holes for AMPS hole patterns</li> <li>▶ This is compatible with all ProClip mounting accessories (including vehicle, cart, and forklift mounts)</li> <li>▶ Weight: 0.42 lb / 0.19 kg</li> <li>▶ Compatible Printers: ZQ520, ZQ521</li> <li>▶ Printer Not Included</li> </ul>	
<a href="http://www.proclipusa.com">www.proclipusa.com</a>				

<p><b>216014</b> (Third Party)</p> <p><a href="http://www.proclipusa.com">www.proclipusa.com</a></p>		<p>ProClip® Quick Release Mount Kit with speed clip ZQ510</p>	<ul style="list-style-type: none"> <li>▶ Kit includes quick release dock and plate</li> <li>▶ Pre-drilled holes for AMPS hole patterns</li> <li>▶ This is compatible with all ProClip mounting accessories (including vehicle, cart, and forklift mounts)</li> <li>▶ Weight: 0.58 lb / 0.26 kg</li> <li>▶ Compatible Printers: ZQ510, ZQ511</li> <li>▶ Printer Not Included</li> </ul>	
<p><b>202016</b> (Third Party)</p> <p><a href="http://www.proclipusa.com">www.proclipusa.com</a></p>		<p>ProClip® Standard Duty Pedestal Mount (5")</p>	<ul style="list-style-type: none"> <li>▶ AMPS hole pattern on both ends</li> <li>▶ Dual ball joint style arm</li> <li>▶ Weight: 0.47 lb / 0.21 kg</li> <li>▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410</li> </ul>	
<p><b>215863</b> (Third Party)</p> <p><a href="http://www.proclipusa.com">www.proclipusa.com</a></p>		<p>ProClip® Solid Core Aluminum Arm</p>	<ul style="list-style-type: none"> <li>▶ Perfect for high vibration or heavy machinery mounting</li> <li>▶ This is extremely heavy duty and usually overkill for most implementations</li> <li>▶ Most implementations would be fine with the standard ProClip 202016 arm.</li> <li>▶ Weight: 1.1 lb / 0.5 kg</li> <li>▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410</li> </ul>	
<p><b>100176</b> (Third Party)</p> <p><a href="http://www.proclipusa.com">www.proclipusa.com</a></p>		<p>ProClip® Pipe / Handle Mount with Quick Release Dock</p>	<ul style="list-style-type: none"> <li>▶ Great for mounting printers on mobile carts, hand rails, handles, etc.</li> <li>▶ No tools required</li> <li>▶ Fits Pipes and Bars from 1/2 Inch to 1 1/2 Inch</li> <li>▶ Quick Release Dock with 15mm release tab</li> <li>▶ Does NOT include printer</li> <li>▶ Weight: 1.0 lb / 0.45 kg</li> <li>▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410</li> </ul>	<p>Quick Release Mount</p> <p><b>241425</b> (ZQ520)</p> <p><b>216014</b> (ZQ510)</p>

<p><b>216114</b> (1.25" - 2" diameter) (Third Party)</p> <p><b>216107</b> (1" 3/16 diameter) (Third Party)</p> <p><a href="http://www.proclipusa.com">www.proclipusa.com</a></p>	  	<p>ProClip® Pipe Mount</p>	<ul style="list-style-type: none"> <li>▶ Cart with a handlebar (up to 1" 5/8 diameter): ProClip Clamp 216114</li> <li>OR</li> <li>Cart with a handlebar (up to 1" 3/16 diameter): ProClip Clamp 216107</li> <li>▶ AMPS Pattern mounting surface</li> <li>▶ You will need a compatible Quick Release Mount for the printer you would like to support:</li> <li>▶ Commonly Bundled: Quick Release Mounts for ZQ610, ZQ620, QLn220, QLn320: 215843 (Powered kit with an arm) 215842 (Non-Powered with an arm) 215803 (powered kit, no arm) 215806 (non-powered kit, no arm)</li> <li>▶ 216114 Weight: 0.63 lb / 0.29 kg</li> <li>▶ 216107 Weight: 0.5 lb / .22 kg</li> <li>▶ Quick Release Mounts for ZQ630, QLn420: 216004</li> <li>▶ Compatible Printers: ZQ630, QLn420, ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521, ZD410</li> </ul>	<p>Quick Release Mount <b>241425</b> (ZQ520) <b>216014</b> (ZQ510)</p>
<p><b>RAM-VPR-107</b> (Third Party)</p> <p><a href="http://www.rammount.com">www.rammount.com</a></p>	 	<p>RAM® Printer Cradle for Portable Printers with Rear Paper Feed</p>	<ul style="list-style-type: none"> <li>▶ The RAM portable printer holder uses a unique patent pending spring loaded mechanism that provides a strong hold and provides easy removal for printer storage.</li> <li>▶ At each end of the cradles are side clamping plates that are designed to fit cleanly around the edges of a printer.</li> <li>▶ Dimensions: Max Height: 1.75" Width Range: 5.625" - 9.5"</li> <li>▶ Hole Pattern: 4-Hole AMPS: 1.181" x 1.496" 3-Hole 120-Degree: 1.812" Diameter</li> <li>▶ Weight: 0.77 lbs / 0.34 kg</li> <li>▶ Kit Information: Assembly Hardware (4) #10-24 x 5/8" Machine Screws (4) #10-24 Nylock Nuts</li> <li>▶ Compatible Printers: ZQ630, QLn420, ZQ510, ZQ511</li> </ul>	



# Carrying / Protection Options, Media Spacers, and Other Accessories

Part Number	Picture	Description	Notes	Required Items
<b>P1063406-043</b> (ZQ510, ZQ511)  <b>P1063406-044</b> (ZQ520, ZQ521)		Exoskeleton	<ul style="list-style-type: none"> <li>► Increase drop specification to 3m / 10', seals off ports, and increases to IP65 rating for extreme-use environments.</li> <li>► Can be used with single and extended battery packs, 4-slot printer power station and single slot charging cradle.</li> <li>► NOTE: Printer sold separately.</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
<b>P1063406-038</b> (ZQ510, ZQ511)  <b>P1063406-037</b> (ZQ520, ZQ521)		Durability Enhancing Case with Shoulder Strap (56")	<ul style="list-style-type: none"> <li>► Add an extra layer of protection for harsh environments with a soft case.</li> <li>► Battery (including extended pack) and ports remain accessible via flaps. Cannot be used with printer belt clip or MCR.</li> <li>► Shoulder strap included.</li> <li>► NOTE: Printer sold separately.</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
<b>P1063406-039</b>		2-Roll Media Storage Case	<ul style="list-style-type: none"> <li>► Carries two rolls of spare ZQ500 Series printer media.</li> <li>► Attaches between the RAM arm and Vehicle Cradle.</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
<b>P1051921</b>		Shoulder Strap (56")	<ul style="list-style-type: none"> <li>► Offers over-the-shoulder carrying option.</li> <li>► Connects with plastic attachment clips.</li> <li>► Length: 56 in / 142 cm</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521, P4T</li> </ul>	
<b>P1063406-035</b>		Rugged Shoulder Strap (56")	<ul style="list-style-type: none"> <li>► Offers over-the-shoulder carrying option. Connects with metal attachment clips.</li> <li>► Length: 56 in / 142 cm</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521, P4T</li> </ul>	

BT16899-1		Hand Strap (8")	<ul style="list-style-type: none"> <li>▶ Hand strap which allows the printer to be carried by hand, like a toolbox.</li> <li>▶ Length: 8 in / 20 cm</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521, RW220, RW420</li> </ul>	
P1063406-041		Swivel Belt Loop	<ul style="list-style-type: none"> <li>▶ Alternative to a standard belt clip.</li> <li>▶ One piece connects to the user's belt and one piece (D-Ring Adapter Belt Attachment) attaches in lieu of the belt clip on the ZQ500 Series, so you can easily attach and rotate the printer to the hip.</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-040		Spare Belt Clip (Quantity 5)	<ul style="list-style-type: none"> <li>▶ Replacement belt clips for the ZQ500 Series standard belt clip.</li> <li>▶ Contains 5 belt clips</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-021 (ZQ510) P1072539-014 (ZQ520)		Encrypted Magnetic Stripe Reader Module	<ul style="list-style-type: none"> <li>▶ Magnetic stripe reader attaches to the printer to allow reading of magnetic stripe cards.</li> <li>▶ Encryption keys can be loaded via the Zebra Custom Solutions Group.</li> <li>▶ Compatible Printers: ZQ510, ZQ520</li> <li>▶ <b>NOTE: This accessory NOT supported on ZQ511 or ZQ521</b></li> </ul>	
P1063406-025		Adapter Discs	<ul style="list-style-type: none"> <li>▶ Alternate discs for use in the ZQ500 Series media slot.</li> <li>▶ These Adapter discs support smaller media cores .5" (13mm) for customers migrating from competitive products.</li> <li>▶ The standard ZQ500 Series printers ship with .75" (19mm) media roll core discs.</li> <li>▶ 3 pairs of discs included per package.</li> <li>▶ Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	

Cables				
Part Number	Picture	Description	Notes	Required Items
CBL-DC-388A1-01		DC Connector Cable	<ul style="list-style-type: none"> <li>► This is the DC Cable that connects the 3-slot battery charger to the power supply (PWR-BGA12V50W0WW)</li> <li>► Compatible Printers: ZQ610, ZQ610 HC, ZQ620, ZQ620 HC, ZQ630, QLn220, QLn220 HC, QLn320, QLn320 HC, QLn420, ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-045 (6')		USB Cable with Twist Lock (6' or 12')	<ul style="list-style-type: none"> <li>► USB cable for connecting the ZQ500 Series printer or vehicle / single slot printer charging cradle to PCs / laptops.</li> <li>► Prevents USB cable breakage via hard plastic twist lock.</li> <li>► Length: 6 ft / 1.8 m OR 12 ft / 3.6 m</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-146 (12')				
P1063406-047		USB Micro A / B to USB A Converter (6")	<ul style="list-style-type: none"> <li>► Adapter cable for connecting USB memory sticks or other traditional USB A devices to the printer.</li> <li>► Length: 6 in / 15 cm</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	
P1063406-049		Type-A USB to Serial DB9 Cable (8")	<ul style="list-style-type: none"> <li>► USB to Serial Converter Adapter cable for use with the ZQ500 Series Vehicle Cradle or Battery Eliminator Cradle where connection to a serial device is required.</li> <li>► Allows backwards compatibility for customers migrating from RW vehicle cradles with serial port</li> <li>► Length: 8 in / 20 cm</li> <li>► Compatible Printers: ZQ510, ZQ511, ZQ520, ZQ521</li> </ul>	



Batteries				
Part Number	Picture	Description	Notes	Required Items
<b>BTRY-MPP-34MA1-01</b> (Standard Battery)		PowerPrecision+ Spare Smart Battery 3250 mAh	<ul style="list-style-type: none"> <li>▶ Standard printer battery which can be polled and managed to monitor battery health and recommend replacement.</li> <li>▶ The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME)</li> <li>▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521</li> <li>▶ Battery Capacity: 3250 mAh</li> </ul>	
<b>P1031365-069</b> (Extended Battery)		PowerPrecision+ 4900 mAh Li-Ion Rechargeable Battery (with LED)	<ul style="list-style-type: none"> <li>▶ Extended Li-Ion battery with LED and twice the capacity. The battery keeps track of charge history and other critical parameters which can be read by outside entities (i.e.. PPME)</li> <li>▶ LED indicates when the battery is beyond useful life/due for replacement.</li> <li>▶ Compatible Printers: ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ511, ZQ520, ZQ521</li> <li>▶ Battery Capacity: 4900 mAh</li> </ul>	